




CarePrecise Gold™

Healthcare Provider Data with CP ListMaker™ software.

Data Model

- CPAC: Standard HCP data
- Exclusive CarePrecise data
- Additional data in CP ListMaker to facilitate search and SharpMail functions



© 2008-2020 CarePrecise LLC

CarePrecise Data Tables and Fields

- CPAC CarePrecise Access Complete basic provider data
- CPLM Additional fields included in Gold & Platinum CP ListMaker (SharpMail proper casing software is included)

| File Set | Table | Field Name | Description | Additional Information |
|--------------------------------------|--|-------------|---|--|
| CPAC (CarePrecise Access Complete) | data is sourced and merged from the NPPES, PECOS and LEIE databases, keyed on the NPI. Every record has a unique NPI, and the NPI is used to link the relational tables together. The CPAC dataset is updated monthly. | | | |
| CPAC | tAddresses (Provider addresses; MDB and CSV formats) | NPI | National Provider Identifier (unique National Provider Identifier assigned to healthcare providers by the US Department of Health and Human Services) | Relational Key The NPI is a unique 10-digit numerical code assigned to every HIPAA-covered healthcare provider, including individuals and organizations, by the U.S. Department of Human Services, Centers for Medicare and Medicaid Services (CMS). |
| | | Mail1stAddr | Provider First Line Business Mailing Address | |
| | | Mail2ndAddr | Provider Second Line Business Mailing Address | |
| | | MailCity | Provider Business Mailing Address City | |

| | | Name | |
|------|--|---------------------------|---|
| | | MailState | Provider Business Mailing Address State Code |
| | | MailZip | Provider Business Mailing Address Postal Code (most are 9-digit Zip Codes) |
| | | MailCountry | Provider Business Mailing Address Country Code (If outside U.S.) |
| | | Prac1stAddr | Provider First Line Business Practice Location Address |
| | | Prac2ndAddr | Provider Second Line Business Practice Location Address |
| | | PracCity | Provider Business Practice Location Address City Name |
| | | PracState | Provider Business Practice Location Address State Code |
| | | PracZip | Provider Business Practice Location Address Postal Code (most are 9-digit Zip Codes) |
| | | PracCountry | Provider Business Practice Location Address Country Code (If outside U.S.) |
| CPAC | tOtherPracticeLocations Additional (secondary) practice locations for Type 2 providers; MDB and CSV formats One-to-many table. Table is not provided in custom data pulls (CarePrecise Select services). | NPI | National Provider Identifier Relational Key (composite) |
| | | SecondaryPracAddr1 | First line of street address Relational Key (composite) |
| | | SecondaryPracAddr2 | Second line of street address |
| | | SecondaryPracCity | City Name |
| | | SecondaryPracState | State Code |
| | | SecondaryPracZip | Postal Code (most are 9-digit Zip Codes) |
| | | SecondaryPracCountry | Country Code (If outside U.S.) |
| | | SecondaryPracPhone | Location Phone Number |
| | | SecondaryPracPhoneExt | Location Phone Extension |
| | | SecondaryPracFax | Location Fax Number |
| | | SecondaryLocationDate | Location Date |
| CPAC | tEntity (Provider entity and record information; MDB and CSV formats) | NPI | National Provider Identifier Relational Key |
| | | EntityType | Entity Type Code Type 1 indicates an individual provider (i.e., physician, psychologist, etc.); Type 2 indicates an organizational provider (i.e., hospital, lab, pharmacy, etc.). Type1 entities (individuals) may have only one NPI number and so only one record, but Type 2 entities (organizations) may have multiple NPI numbers and thus multiple records. <i>Click here to download the Exclusion Type Code description document...</i> |
| | | ReplacementNPI | Replacement NPI Not currently populated |
| | | EIN | Employer Identification Number (EIN) Not currently populated. CMS is not yet providing tax numbers of this type. |
| | | EnumDate | Provider Enumeration Date Date the record was first added to the NPI registry |
| | | UpdateDate | Last Update Date Date this provider NPI record was last updated |
| | | DeactReason | NPI Deactivation Reason Code Not populated because records in the current dataset are not deactivated. Not currently disclosed by CMS. |
| | | DeactDate | NPI Deactivation Date Not populated because records in this table are not deactivated. This field IS populated in the separate delta table tEntity_DEACT, described below. |

| | | |
|--------------|--|--|
| ReactDate | NPI Reactivation Date | Date record was reactivated following a deactivation. |
| Gender | Provider Gender Code | M or F for Type 1 providers |
| IsSoleProp | Is Sole Proprietor | Y = provider operates as a sole proprietor. No = not a sole proprietorship. X = question not answered by provider. |
| IsOrgSubpart | Is Organization Subpart | For Type 2 providers, may be one of several organizational units, each with its own NPI number. Y = provider is a subpart. No = not a subpart. X = question not answered. |
| ParentOrgTIN | Parent Organization TIN | Not currently populated. CMS is not currently providing tax numbers at this time. |
| InPECOS | From monthly CMS PECOS distributions of PECOS-enrolled providers. Source: PECOS Ordering and Referring Report file distribution. | Y = Physicians and non-physician practitioners who are of a type/specialty that is legally eligible to order and refer in the Medicare program and who have current enrollment records in Medicare (i.e., they have enrollment records in PECOS) |
| Warning | From the Office of Inspector General's excluded providers database (LEIE), indicating a sanction prevents the provider from billing Medicare. A warning in this field should not be taken as definitive; the user should check the tExcluded table and consider other sources of provider fraud and exclusion information. Up until the May 2017 release, this field was algorithmically derived for some records. * | Y= elements in the providers record indicated a match with a listing in the federal excluded providers database (see the table tExcluded below) |
| ExclType | The exclusion type from the LEIE database, explaining the reason that a provider was barred from billing Medicare. Fields with a Y in the Warning field will display this code. | The code's definition can be found at this link . A CSV file listing these exclusion descriptions is included in the CarePrecise Access Complete CSV download file. |
| ExclDate | The date of the exclusion from the LEIE database, where reported. | |
| UPIN | UPIN is a deprecated identifier, no longer used. CMS has stopped disseminating this data. The field remains here for purposes of backward-compatibility. | |
| Group | From NPPES group taxonomy data | Y= this provider reported that it operates as either a multi-specialty group or single-specialty group. |

| | | | | | | |
|----------|---|---------------|---|---|------------------------|------------------------------------|
| | | County | | Name of county primarily associated with the practice Zip Code | | |
| | | CountyFIPS | | Practice county FIPS code | | |
| | | StateFIPS | | Practice state FIPS code | | |
| | | TimeZone | | Practice time zone | | |
| | | DLSTime | | Daylight saving time; Y= Yes | | |
| | | MSA | Metropolitan Statistical Area of practice location | | | |
| | | PMSA | Primary Metropolitan Statistical Area of practice location | | | |
| | | Population | | Zip Code population | | |
| | | Zip5 | | First five digits of practice address Zip Code | | |
| CPAC | tEntity-B (Provider entity and record information; MDB and CSV formats) | NPI | National Provider Identifier | Relational Key | | |
| | | CertDate | Date of certification of provider's NPI number | New field added with December 9, 2019 data release, refers to the date the NPI record was officially certified. | | |
| | | EstPracYears | Estimated years provider has been in practice | Algorithmically derived* from EPGH tExtendedPhysician.GradYear and/or CPAC tEntity.EnumDate 2009 forward. | | |
| CPAC | tHumanNames (Provider person names or contact person names; MDB and CSV formats) | NPI | National Provider Identifier | Relational Key | | |
| | | LN | Provider Last Name (Legal Name) | The enumerated individual provider's name (for Entity Type 1 records) | | |
| | | FN | Provider First Name | | | |
| | | MN | Provider Middle Name | | | |
| | | PN | Provider Name Prefix Text | | | |
| | | SN | Provider Name Suffix Text | | | |
| | | Cred | Provider Credential Text | | | |
| | | OthLN | Provider Other Last Name | | Other name Type Codes: | |
| | | OthFN | Provider Other First Name | | | Code Description EntityType |
| | | OthMN | Provider Other Middle Name | | | 1 Former Name 1 |
| | | OthPN | Provider Other Name Prefix Text | | | 2 Professional Name 1 |
| | | OthSN | Provider Other Name Suffix Text | | | 5 Other 1, 2 |
| | | OthCred | Provider Other Credential Text | | | |
| | | OthLNType | Provider Other Last Name Type Code | | | |
| | | AuthLN | Authorized Official Last Name (Contact person for a Type 2 organization record) | Name of the provider's authorizing official, if other than the listed individual provider. For organizations (Entity Type 2 records), this is the contact name. | | |
| | | AuthFN | Authorized Official First Name | | | |
| | | AuthMN | Authorized Official Middle Name | | | |
| | | AuthTitle | Authorized Official Title or Position | | | |
| | | AuthPN | Authorized Official Name Prefix Text | | | |
| AuthSN | Authorized Official Name Suffix Text | | | | | |
| AuthCred | Authorized Official Credential Text | | | | | |
| | | | | | | |
| | | | | | | |
| CPAC | tOID (Other identifiers, such as UPIN, OSCAR, PIN, Medicaid, etc., excluding NPI and taxonomy codes; MDB and CSV formats) One-to-many table. | NPI | National Provider Identifier | Relational Key | | |
| | | OtherID | Other Provider Identifier | Identifier relevant to external data | | |
| | | OtherIDType | Other Provider Identifier Type Code | Description OtherIDType | | |
| | | | | Other 01 | | |
| | | | | Medicaid 05 | | |
| | | OtherIDState | Other Provider Identifier State | In the case of a state license code, this is the licensing state | | |
| | | OtherIDIssuer | Other Provider Identifier Issuer | | | |

| | | OIDnum | Source: Added by CarePrecise to indicate the original NPPES flat file Other Identifiers field number. | The number of the NPPES Other Identifier field (1 through 50) | | | | | | | | | | | | |
|--------------|---|-------------------------|---|---|------|-------------|------------|---|-----|---|---|------------|---|---|-------|------|
| CPAC | tOrgNames (Provider organization names for Type 2 providers; MDB and CSV formats) | NPI | National Provider Identifier | Relational Key | | | | | | | | | | | | |
| | | OrgName_LBN | Provider Organization Name (Legal Business Name) | LBN (for Entity Type 2 records) | | | | | | | | | | | | |
| | | OthOrgName | Provider Other Organization Name | Other | | | | | | | | | | | | |
| | | OthOrgNameType | Provider Other Organization Name Type Code | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>EntityType</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>DBA</td> <td>2</td> </tr> <tr> <td>4</td> <td>Former LBN</td> <td>2</td> </tr> <tr> <td>5</td> <td>Other</td> <td>1, 2</td> </tr> </tbody> </table> | Code | Description | EntityType | 3 | DBA | 2 | 4 | Former LBN | 2 | 5 | Other | 1, 2 |
| | | Code | Description | EntityType | | | | | | | | | | | | |
| 3 | DBA | 2 | | | | | | | | | | | | | | |
| 4 | Former LBN | 2 | | | | | | | | | | | | | | |
| 5 | Other | 1, 2 | | | | | | | | | | | | | | |
| ParentOrgLBN | Parent Organization LBN | | | | | | | | | | | | | | | |
| CPAC | tOtherOrgNames Alternative org names beyond those listed in tOrgNames; MDB and CSV formats. One-to-many table. Table is not provided in custom data pulls (CarePrecise Select services). | NPI | National Provider Identifier | Relational Key (composite) | | | | | | | | | | | | |
| | | OtherOrgName | Other Organization Name | Relational Key (composite) | | | | | | | | | | | | |
| | | OtherOrgNameType | Other Organization Name Type | Relational Key (composite) | | | | | | | | | | | | |
| | | | | <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>EntityType</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>DBA</td> <td>2</td> </tr> <tr> <td>4</td> <td>Former LBN</td> <td>2</td> </tr> <tr> <td>5</td> <td>Other</td> <td>1, 2</td> </tr> </tbody> </table> | Code | Description | EntityType | 3 | DBA | 2 | 4 | Former LBN | 2 | 5 | Other | 1, 2 |
| | | Code | Description | EntityType | | | | | | | | | | | | |
| 3 | DBA | 2 | | | | | | | | | | | | | | |
| 4 | Former LBN | 2 | | | | | | | | | | | | | | |
| 5 | Other | 1, 2 | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| CPAC | tPhoneFax (Provider phone and fax numbers; fax numbers for approx. 65% of records; MDB and CSV formats) | NPI | National Provider Identifier | Relational Key | | | | | | | | | | | | |
| | | MailPhone | Provider Business Mailing Address Telephone Number | | | | | | | | | | | | | |
| | | MailFax | Provider Business Mailing Address Fax Number | | | | | | | | | | | | | |
| | | PracPhone | Provider Business Practice Location Address Telephone Number | | | | | | | | | | | | | |
| | | PracFax | Provider Business Practice Location Address Fax Number | | | | | | | | | | | | | |
| | | AuthPhone | Authorized Official Telephone Number | | | | | | | | | | | | | |
| CPAC | tTaxo (Provider Taxonomy codes indicating specialties and subspecialties for Type 1/individual providers, and facility types for Type 2/organization providers; MDB and CSV formats). One-to-many table. | NPI | National Provider Identifier | Relational Key | | | | | | | | | | | | |
| | | Taxo | Healthcare Provider Taxonomy Code (Specialties and Facility Types) | Providers may have multiple taxonomies reported here, and thus multiple records in this one-to-many table. The Taxonomy Code indicates the provider's specialty; i.e., Pediatrician, Optometrist, etc.; or facility type; i.e., Hospital, Clinic, Nursing Facility, etc. | | | | | | | | | | | | |
| | | Lic | Provider License Number | For Type 2 (organization) providers, License is no longer collected as of 9/10/2018. | | | | | | | | | | | | |
| | | LicState | Provider License Number State Code | For Type 2 (organization) providers, License is no longer collected as of 9/10/2018. | | | | | | | | | | | | |
| | | TaxoSwitch | Healthcare Provider Primary Taxonomy Switch (Primary specialty indicator) | "Y" means this is the provider's primary specialty or facility code. | | | | | | | | | | | | |
| | | Tnum | Source: Added by CarePrecise to indicate the original NPPES flat file Taxonomy Code (specialty) field number. | The number of the NPPES taxonomy field (1 through 15). If a primary taxonomy is not indicated, it may be useful to assume that the first-listed code (1) is primary. | | | | | | | | | | | | |

| | | TaxoDescr | Taxonomy code description (the specialty/subspecialty in English) |
|------|---|-----------------------|--|
| CPAC | tTaxoGroups (Provider Taxonomy codes indicating group practices; MDB and CSV formats). One-to-many table. | NPI Gnum | National Provider Identifier The source data (NPPES) permits group codes to be reported in up to 15 fields in this section. CarePrecise creates a one-to-many table, listing each of a provider's reported taxonomy group codes in a separate record. The Gnum is the NPPES Group Taxonomy field number in which the code was reported, allowing the code be matched with the specific group specialty in the tTaxo table. For instance, a code in tTaxoGroup field Gnum 3 indicates a group practice of the specialty reported in Tnum 3 in the tTaxo table. |
| | | TaxoGroup | Healthcare Provider Taxonomy Group_[1 through 15] 193200000X for a multi-specialty practice 193400000X for a single-specialty practice |
| CPAC | tCoLoCode (MDB and CSV formats) | NPI | National Provider Identifier |
| | | CoLoCode™ | Provider CoLoCode™ (co-location code, a CarePrecise algorithmically derived* exclusive). The NPI and CoLoCode comprise the dual relational key for this table. The NPI identifies the provider record, and the CoLoCode identifies the physical location. The CoLoCode is an up to 40-character string that stands in for detailed location data, and is not intended to be sensical to the human viewer. |
| | | Count | Count of providers matching this co-location (algorithmically derived * conformation of the provider's practice location; see tCoLoCodes above). Indicates the number of providers practicing at this location. |
| CPAC | tAdded (CPAC records only) | NPI | National Provider Identifier |
| | (MDB and CSV formats) Table is not provided in custom data pulls (CarePrecise Select services) | DateDiscovered | Relational Key (composite) The CarePrecise processing date on which the added provider record was discovered. Corresponds to the most recent previous CMS update date on which the added provider data was included in the NPPES database. |

| | | | | |
|------|--|-----------------------|--|--|
| | | | | Unduplicative index key is dual; NPI and DateDiscovered. |
| CPAC | tDropped (CPAC records only) Table is not provided in custom data pulls (CarePrecise Select services) | NPI | National Provider Identifier | Relational Key (composite) |
| | | (MDB and CSV formats) | DateDiscovered | Relational Key (composite) The CarePrecise processing date on which it was discovered that the provider record was dropped from the NPPES database. Corresponds to the most recent previous CMS update date on which the provider data was dropped from the NPPES database. Unduplicative index key is dual; NPI and DateDiscovered. |
| | | EntityType | Entity Type Code | Type 1 is individual providers (i.e., physicians, psychologists, etc.); Type 2 is organizational providers (i.e., hospitals, labs, etc.) |
| | | ProvName | | This is a generated field based on EntityType. |
| | | Prac1stAddr | Provider First Line Business Practice Location Address | |
| | | Prac2ndAddr | Provider Second Line Business Practice Location Address | |
| | | PracCity | Provider Business Practice Location Address City Name | |
| | | PracState | Provider Business Practice Location Address State Name | The federal data contains variations on state codes, abbreviations and full state names; we conform this field to standard 2-character state codes. A small number of non-US postal addresses remain nonconforming. |
| | | PracZip | Provider Business Practice Location Address Postal Code | |
| | | PracCountry | Provider Business Practice Location Address Country Code (If outside U.S.) | |
| | | PracPhone | Provider Business Practice Location Address Telephone Number | |
| | | EnumDate | Provider Enumeration Date | |
| | UpdateDate | Last Update Date | Date this provider NPI record was last updated | |
| CPAC | tExcluded (MDB and CSV formats) Table is not provided in custom data pulls (CarePrecise Select services) | LN | Last name (Type 1 providers) | This table, sourced from the LEIE, lists all provider records in the federal excluded providers database. A provider may be excluded (barred from billing Medicare) for reasons of a criminal nature, among other reasons. This table contains no relational key; |
| | | FN | First name (Type 1 providers) | |
| | | MN | Middle Name (Type 1 providers) | |
| | | OrgName | Organization name (Type 2 providers) | |
| | | Addr | Street address | |

| | | | | |
|--|--|-----------|--|---|
| | | City | City | however, it is used to produce the Warning field in the tEntity table, which does include the provider's NPI. This table should be referenced for backup information. |
| | | State | State | |
| | | Zip | Zip Code | |
| | | DOB | Date of Birth. Not currently populated. CMS is not providing tax numbers at this time. | |
| | | General | Provider category | |
| | | Specialty | Provider specialty | |
| | | UPIN | Federal physician identifier code (legacy) | |
| | | ExclType | Exclusion type (why provider was excluded) | |
| | | ExclDesc | Exclusion Description | |
| | | ExclDate | Date provider was excluded (YYYYMMDD) | |

| | | | | |
|-------------|--|--------------------|--|--|
| CPAC | tDeact (MDB and CSV formats; CPAC records only) Table is not provided in custom data pulls (CarePrecise Select services) | NPI | National Provider Identifier | Relational Key (composite) This data is provided by CMS, listing all NPI records that have been deactivated and the deactivation date. Unduplicative index key is dual; NPI and DeactDate. Please note that a record may be added to the Deactivated tables, but then later be reactivated. Also note that Type 2 records (organizations) may have multiple records; some may be deactivated while others are active. When a record is reactivated it will appear in the tAdded table. |
| | | DeactDate | Date CMS deactivated the provider's NPI record | Relational Key (composite) |
| | | DeactFound | Date deactivation was processed by CarePrecise | |
| | | DeactReason | Reason for deactivation. | Not currently populated. Not disclosed by CMS. |

| | | | |
|-------------|---|---|---|
| CPAC | Delta tables in NPPE_S_Delta.mdb (MDB format; CPAC records only) Table is not provided in custom data pulls (CarePrecise Select services) | tAddresses_DEACT tEntity_DEACT tHumanNames_DEACT tOID_DEACT tOrgNames_DEACT tPhoneFax_DEACT tTaxo_DEACT tTaxoGroups_DEACT tCoLoCode_DEACT | The Delta tables are contained in a separate database included in the CarePrecise Access Complete dataset, named NPPE_S_Delta. They contain near-complete data on those providers whose records have been deactivated by CMS for various reasons, including retirement, death, or for any of several infractions. These tables contain the same fields as the standard provider data tables as defined above for their namesakes, and are populated with the data from previous data releases, with the deactivation date populated in the tEntity_DEACT table's DeactDate field. Please note that a record may be added to the Deactivated tables, but then later be reactivated. Also note that Type 2 records (organizations) may have multiple records; some may be deactivated while others are active. When a record is reactivated it will appear in the tAdded table. |
|-------------|---|---|---|

Additional data included in the **CP ListMaker** software component of **CarePrecise Platinum**, sourced from USPS and U.S. Department of Commerce, and independent CarePrecise research. Data is periodically updated. These data are available only as part of the CP ListMaker and CarePrecise Gold/Platinum products, and are not sold separately. Note that only the tZips data, and not the the CP ListMaker application itself, is included in special licensing for Derivative Products or Redistribution; however, the CP ListMaker application is open source and may be used as a model for redistributed products.

| CPLM | tZips Economic and social segmentation data for providers' service areas | ZipCode | 5-digit Zip Code | Relational Key (to CPAC.tEntity.Zip5) | | | | | | | | |
|------------------|--|----------------|--|--|-------------|--------------|-----------|---|-----------------|---|------------------|---|
| | | Wealth | Numerical indicator of the relative wealth/poverty of the provider's immediate service area (5-digit zip). Wealth/poverty level is show as a percentage of the Federal Poverty Level (FPL) for the particular geographic area. Currently up to 12 levels are present in the data; additional | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | <table border="1"> <thead> <tr> <th>Description</th> <th>Wealth Level</th> </tr> </thead> <tbody> <tr> <td>=<50% FPL</td> <td>1</td> </tr> <tr> <td>50% to 100% FPL</td> <td>2</td> </tr> <tr> <td>100% to 150% FPL</td> <td>3</td> </tr> </tbody> </table> | Description | Wealth Level | =<50% FPL | 1 | 50% to 100% FPL | 2 | 100% to 150% FPL | 3 |
| Description | Wealth Level | | | | | | | | | | | |
| =<50% FPL | 1 | | | | | | | | | | | |
| 50% to 100% FPL | 2 | | | | | | | | | | | |
| 100% to 150% FPL | 3 | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | |
|------------------------|--|--|--|------------------|---|------------------|---|------------------|---|------------------|---|-------------------|---|--------------------|---|--------------------|----|--------------------|----|------------------------|----|
| | | levels will be included when data for those more extreme wealth levels are present. | <table border="1"> <tr><td>150% to 200% FPL</td><td>4</td></tr> <tr><td>200% to 300% FPL</td><td>5</td></tr> <tr><td>300% to 500% FPL</td><td>6</td></tr> <tr><td>500% to 700% FPL</td><td>7</td></tr> <tr><td>700% to 1000% FPL</td><td>8</td></tr> <tr><td>1000% to 1500% FPL</td><td>9</td></tr> <tr><td>1500% to 2000% FPL</td><td>10</td></tr> <tr><td>2000% to 3000% FPL</td><td>11</td></tr> <tr><td>Greater than 3000% FPL</td><td>12</td></tr> </table> | 150% to 200% FPL | 4 | 200% to 300% FPL | 5 | 300% to 500% FPL | 6 | 500% to 700% FPL | 7 | 700% to 1000% FPL | 8 | 1000% to 1500% FPL | 9 | 1500% to 2000% FPL | 10 | 2000% to 3000% FPL | 11 | Greater than 3000% FPL | 12 |
| 150% to 200% FPL | 4 | | | | | | | | | | | | | | | | | | | | |
| 200% to 300% FPL | 5 | | | | | | | | | | | | | | | | | | | | |
| 300% to 500% FPL | 6 | | | | | | | | | | | | | | | | | | | | |
| 500% to 700% FPL | 7 | | | | | | | | | | | | | | | | | | | | |
| 700% to 1000% FPL | 8 | | | | | | | | | | | | | | | | | | | | |
| 1000% to 1500% FPL | 9 | | | | | | | | | | | | | | | | | | | | |
| 1500% to 2000% FPL | 10 | | | | | | | | | | | | | | | | | | | | |
| 2000% to 3000% FPL | 11 | | | | | | | | | | | | | | | | | | | | |
| Greater than 3000% FPL | 12 | | | | | | | | | | | | | | | | | | | | |
| | | RuralUrban | Indicates Rural (R), Urban (U) or Other (O) status for the provider's immediate service area (zip). Other indicates suburban or small city status. | | | | | | | | | | | | | | | | | | |
| | | City | City associated with Zip Code | | | | | | | | | | | | | | | | | | |
| | | County | County primarily associated with Zip Code | | | | | | | | | | | | | | | | | | |
| | | State | State associated with Zip Code | | | | | | | | | | | | | | | | | | |
| | | Latitude | Geographic latitude to 5-digit zip accuracy (center of Zip) | | | | | | | | | | | | | | | | | | |
| | | Longitude | Geographic longitude to 5-digit zip accuracy (center of Zip) | | | | | | | | | | | | | | | | | | |
| CPLM | Additional Gold data tables: | Additional data tables included in CarePrecise Gold are used by the included SharpMail™ tool to produce correctly-cased names and addresses and correctly-genderized and -prefixed salutations. | | | | | | | | | | | | | | | | | | | |
| | <ul style="list-style-type: none"> - Names - Names_Company - Names_Cred - Names_Genderize - Names_Prefices - Names_Suffices - StateNameVariants | | | | | | | | | | | | | | | | | | | | |

* Marked above by an asterisk (*), algorithmically derived data in the datasets includes data that is extracted/mined from the source databases, but which has a margin of error and should not be relied upon as conclusive. Record linking algorithms are used to enrich our data when direct correlation (via a unique identifier field) is not available, using available information in name, address, phone, taxonomy, and other fields. In particular, some of the older data on providers excluded from billing Medicare (from the HHS Office of Inspector General's excluded providers database) can only be linked to NPI records by this means. Please note that when matches are found, there may be instances where an individual or firm has the same or similar name and location information as an excluded provider but is actually a different party. Therefore, it is important that you verify a potential match with the debarring agency identified in the record information. See the disclaimer appearing at the bottom of the [documentation page](#).

Not all fields in all records are populated with data. Healthcare providers may update data in their record using the federal NPI registry website, and are required to do so within 30 days of a change in their information.

CarePrecise LLC reserves the right to make changes in the data and data structure as it deems necessary to preserve the quality of the product. Please read the Notice at the bottom of the page <https://www.careprecise.com/help/> for additional information about the data.